

Predmet ispitivanja:
(podaci dobijeni od korisnika)

JABUKA CRVENI DELIŠES
Zemlja porekla: Srbija
Proizvođač: ATOS FRUCTUM, MALA REMETA

Naručilac ispitivanja: Poslovnica 2600 prema zahtevu 2600-220 od 01.04.2026.

Oznaka uzorka: 2600-220

**Opis uzorka/
Stanje uzorka:** Plodovi sa svim sortnim karakteristikama.

**Datum prijema
uzorka:** 01.04.2026.

**Datum početka
ispitivanja:** 01.04.2026.

**Datum završetka
ispitivanja:** 07.04.2026.


Obim ispitivanja: prema zahtevu naručioca ispitivanja
Podaci o uzorkovanju: uzorak je dostavila Poslovnica 2600

Prilozi: -

Napomena: -

Dostaviti: 1. Naručiocu ispitivanja
2. Arhivi



DOO JUGOINSPEKT – NOVI SAD
Direktor Centralne laboratorije
Za dipl. ing. Dušanka Vukmirović


QO 1100-00/01 R5



Skeniranjem QR koda mobilnim uređajem proverava se identičnost sa sadržajem Izveštaja, koji se odnosi isključivo na ispitivani uzorak u stanju u kom je primljen.
Centralna laboratorija DOO JUGOINSPEKT – NOVI SAD je odgovorna za sve podatke iskazane u Izveštaju, osim za one dobijene od korisnika ispitivanja.
Centralna laboratorija DOO JUGOINSPEKT – NOVI SAD se odriče od odgovornosti za validnost rezultata za čije iskazivanje su korišćeni podaci dobijeni od korisnika.
Ovaj dokument se ne sme reprodukovati, izuzet u celini, bez pisanog odobrenja Centralne laboratorije DOO JUGOINSPEKT – NOVI SAD.
DOO JUGOINSPEKT – NOVI SAD, Dunavska 23-1, 21000 Novi Sad, PIB: 100237781, MB: 08008540, tel (381 21) 422 - 733, e-mail: office@juins.rs
Laboratorija za ispitivanje poljoprivredno-prehrambenih proizvoda, Runovačka 33, 21000 Novi Sad, tel (381 21) 512 - 233, e-mail: poljoplab@juins.rs



JUGOINSPEKT
NOVI SAD

IZVEŠTAJ O ISPITIVANJU

Br: 1100-690/26

Datum: 07.04.2026.



ANALYST

Rezultati ispitivanja:

Analiza/Jedinica	Rezultat	Proširena merna nesigurnost	MDK	Metoda ispitivanja
Rezidua pesticida (prikazano u tabeli 1) [mg/kg]	<0.005	± 50%	-	SRPS EN 15662:2018
pyrimethanil [mg/kg]	0.059	± 50%	16	SRPS EN 15662:2018 LC-MS/MS

Proširena merna nesigurnost izražena je kao kombinovana standardna merna nesigurnost uvećana za faktor pokrivanja $k=2$ za nivo poverenja približno 95%

Tabela 1 - Lista analiziranih rezidua pesticida u dostavljenom uzorku sa utvrđenim koncentracijama <LOQ (lunita kvantifikacije)


acephate	LC-MS/MS	Chlorobenzilate	GC-MS/MS	dimethoate	LC-MS/MS
acetaniprid	LC-MS/MS	Chlorothalonil	GC-MS/MS	dimethomorph	LC-MS/MS
Aenathrin	GC-MS/MS	chlorothalonil	LC-MS/MS	Dinoxystrobin	LC-MS/MS
alachlor	LC-MS/MS	chloroxuron	LC-MS/MS	dimiconazole	LC-MS/MS
aldicarb	LC-MS/MS	Chlorpropham	GC-MS/MS	dimofluran	LC-MS/MS
aldicarb-sulfone	LC-MS/MS	chlorpyrifos	LC-MS/MS	diphenamid	LC-MS/MS
anilicetradin	LC-MS/MS	Chlorpyrifos-ethyl	GC-MS/MS	Diphenylamine	GC-MS/MS
anilicyn	LC-MS/MS	Chlorpyrifos-methyl	GC-MS/MS	dithiopyr	LC-MS/MS
aminocarb	LC-MS/MS	Chlorthion	GC-MS/MS	diuron	LC-MS/MS
ancymidol	LC-MS/MS	cinosulfuron	LC-MS/MS	DNOC	LC-MS/MS
atrazine	LC-MS/MS	clofentezine	LC-MS/MS	dodemorph	LC-MS/MS
azaconazole	LC-MS/MS	clomazone	LC-MS/MS	Endosulfan alfa	GC-MS/MS
azamethiphos	LC-MS/MS	clothianidin	LC-MS/MS	Endosulfan beta	GC-MS/MS
azuphos-ethyl	LC-MS/MS	coumaphos	LC-MS/MS	Endosulfan sulfate	GC-MS/MS
Azuphos-methyl	LC-MS/MS	crotoxyphos	LC-MS/MS	EPN	GC-MS/MS
azoxystrobin	LC-MS/MS	cyanazine	LC-MS/MS	epoxiconazole	LC-MS/MS
beudicarb	LC-MS/MS	cyazofamid	LC-MS/MS	Esprocarb	LC-MS/MS
benodanil	LC-MS/MS	cycloate	LC-MS/MS	etacozazole	LC-MS/MS
benoxacor	LC-MS/MS	cycloheximide	LC-MS/MS	ethiofencarb	LC-MS/MS
bensulfuron-methyl	LC-MS/MS	cycloxydim	LC-MS/MS	ethiofencarb-sulfone	LC-MS/MS
benzosulfate	LC-MS/MS	cyclurou	LC-MS/MS	ethiofencarb-sulfoxide	LC-MS/MS
benzoylprop-ethyl	LC-MS/MS	cyflufenamid	LC-MS/MS	Ethion	GC-MS/MS
BHIC, Alpha	GC-MS/MS	Cyfluthrin	GC-MS/MS	ethiprole	LC-MS/MS
BHIC, Beta	GC-MS/MS	Cyhalothrin I (lambda)	GC-MS/MS	ethirimol	LC-MS/MS
BHIC, gamma	GC-MS/MS	cymoxanil	LC-MS/MS	ethiofumesate	LC-MS/MS
bifenazate	LC-MS/MS	Cypermethrin	GC-MS/MS	Ethioprop (Ethioprophos)	GC-MS/MS
Bifenthrin	LC-MS/MS	cyproconazole	LC-MS/MS	ethiofencarb-sulfone	LC-MS/MS
bifentanol	LC-MS/MS	Cyprothrin	GC-MS/MS	ethoxyquin	LC-MS/MS
boscalid	LC-MS/MS	DDD p.p	GC-MS/MS	etofenprox	LC-MS/MS
Boscalid (NicoBifen)	GC-MS/MS	DDE p.p	GC-MS/MS	Etosazole	LC-MS/MS
bradifacozam	LC-MS/MS	DDT p.p	GC-MS/MS	famoxadone	LC-MS/MS
Bromopropylate	GC-MS/MS	Deltamethrin	GC-MS/MS	fenamidone	LC-MS/MS
bromuconazole	LC-MS/MS	demeton-S-methyl	LC-MS/MS	fenamiphos	LC-MS/MS
bupirimate	LC-MS/MS	Demeton-S-methyl sulfone	LC-MS/MS	Fenarimol	GC-MS/MS
buprofezin	LC-MS/MS	desmedipham	LC-MS/MS	Fenazaquin	GC-MS/MS
butaclor	LC-MS/MS	Desmethyl-pirimicarb	LC-MS/MS	fenbuconazole	LC-MS/MS
butaclor	LC-MS/MS	desmetryne	LC-MS/MS	fephexamid	LC-MS/MS
butoxycarboxim	LC-MS/MS	Diazinon	GC-MS/MS	Fenitrothion	GC-MS/MS
Cadusafos	GC-MS/MS	Dichlofluanid	GC-MS/MS	fenobucarb	LC-MS/MS
carbaryl	LC-MS/MS	Dichlorvos	GC-MS/MS	fenoxanil	LC-MS/MS
carbetamide	LC-MS/MS	dichlobutrazol	LC-MS/MS	fenoxycarb	LC-MS/MS
Carboxin	GC-MS/MS	Dicloran (Bontran)	GC-MS/MS	Fenpropathrin	GC-MS/MS
carfentrazone-ethyl	LC-MS/MS	Dicofol	GC-MS/MS	Fenpropidin	GC-MS/MS
carpropanil	LC-MS/MS	dicrotophos	LC-MS/MS	fenpropimorph	LC-MS/MS
chlorantraniliprole	LC-MS/MS	Dieldrin	GC-MS/MS	fenpyroximate	LC-MS/MS
chlorbromuron	LC-MS/MS	dichlofencarb	LC-MS/MS	fensulfathion	LC-MS/MS
Chlorfenapyr	GC-MS/MS	diffenconazole	LC-MS/MS	fenthion	LC-MS/MS
chlorfenvinphos	LC-MS/MS	diflubenzuron	LC-MS/MS	Fenthion-Oxosulfone	LC-MS/MS
chlorfluazuron	LC-MS/MS	dimclufuron	LC-MS/MS	fenthion-sulfate	LC-MS/MS
chloridazon	LC-MS/MS	dimethenamid	LC-MS/MS	fenuron	LC-MS/MS
Fenvalerate	GC-MS/MS	dispropanil	LC-MS/MS	fenoxycarb	LC-MS/MS
Flomecand	LC-MS/MS	Metaxyl	GC-MS/MS	fenoxycarb	LC-MS/MS
florasulfon	LC-MS/MS	metazachlor	LC-MS/MS	fenoxycarb-p-dimethyl	GC-MS/MS
fluzifop-p-butyl	LC-MS/MS	metazachlor	LC-MS/MS	fenoxycarb-methyl	LC-MS/MS
flubendazone	LC-MS/MS	metazachlor	LC-MS/MS	fenoxycarb-methyl	LC-MS/MS
Fludoxonil	GC-MS/MS	metazachlor	LC-MS/MS	fenoxycarb-methyl	LC-MS/MS
flufenacet	LC-MS/MS	Methacryfos	GC-MS/MS	fenoxycarb-methyl	LC-MS/MS
flufenoxuron	LC-MS/MS	methamidophos	LC-MS/MS	fenoxycarb-methyl	GC-MS/MS

QO 1100-00/01 R5

Strana 2 od 4



Skeniranjem QR koda mobilnim uređajem proverava se identičnost sa sadržajem Izveštaja, koji se odnosi isključivo na ispitivani uzorak u stanju u kome je primljen.
Centralna laboratorija DOO JUGOINSPEKT - NOVI SAD je odgovorna za sve podatke iskazane u Izveštaju, osim za one dobijene od korisnika ispitivanja.
Centralna laboratorija DOO JUGOINSPEKT - NOVI SAD se odriče od odgovornosti za validnost rezultata za čije iskazivanje su korišćeni podaci dobijeni od korisnika.
Ovaj dokument se ne sme reprodukovati, razuvati u celini, bez pisanog odobrenja Centralne laboratorije DOO JUGOINSPEKT - NOVI SAD
DOO JUGOINSPEKT - NOVI SAD, Dunavska 23 I, 21000 Novi Sad, PIB: 100237281, MB: 08005549, tel: (381 21) 422 - 733, e-mail: office@jungs.rs
Laboratorija za ispitivanje poljoprivredno-prehrambenih proizvoda: Rumenačka 33, 21000 Novi Sad, tel: (381 21) 512 - 233, e-mail: poljuplab@jungs.rs




Izjava o usaglašenosti: Rezultati ispitivanja uzorka za ostatke pesticida su usaglašeni / odgovaraju zahtevima Pravilnika o maksimalno dozvoljenim količinama ostataka sredstava za zaštitu bilja u hrani i hrani za životinje ("Sl. glasnik RS" br. 91/2022), prilog 2, kao i Regulation (EC) No 396/2005 of the European Parliament and of the Council on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC and Annexes I, II, III, IV and VII (za interval poverenja od 95%) i Pravilnika o maksimalnim koncentracijama određenih kontaminanata u hrani ("Sl. glasnik" RS br. 73/2024, 95/2024, 47/2025, 61/2025) prilog 1. odeljak 3.

Napomena: Laboratorija je primenila pravilo odlučivanja br.3 – Pravilo sigurnog prihvatanja rezultata Ispitivanja definisano u Q1 0010 06 03.

Ispitivanje izvršio:
dipl.hem.Dorina Tikveša

Izveštaj odobrio:
dipl. hem. Miloš Čirić, Šef laboratorije



Izjave:

- * - podugovorena ispitivanja
- ** - metode izvan obima akreditacije

